ļai.

We claim:

1. An electronic safe for accepting both cash and non-cash deposits comprising: a bill acceptor for accepting both the cash deposits and the non-cash deposits;

a controller for controlling the operation of the bill acceptor, and for receiving an indication of the value of the non-cash deposits; and

a cassette for storing both the cash deposits and the non-cash deposits.

- 2. The electronic safe of claim 1 further comprising/a data entry apparatus for entering the value of the non-cash deposits, and wherein the data entry apparatus transmits the indication of the value of the non-cash deposits to the controller.
- 3. The electronic safe of claim 1 wherein the indication of the value of the non-cash deposits is transmitted from a point of sale terminal.
- 4. The electronic safe of claim 1 wherein the indication identifies the type of the non-cash deposit.
- 5. The electronic safe of claim 1 wherein the non-cash deposit comprises an envelope.
 - 6. The electronic safe of claim 5 wherein the envelope contains a check.
- 7. The electronic safe of claims wherein the envelope contains a currency note which cannot be accepted as a cash deposit.
- 8. The electronic safe of claim 5 wherein the envelope identifies the type of non-cash deposit.
- 9. The electronic safe of claim 5 wherein the envelope identifies the amount of the non-cash deposit.
- 10. The electronic safe of claim 1 wherein the bill acceptor is further for accepting an identifying tag.
- 11. The electronic safe of claim 10 wherein the identifying tag identifies the value of the non-cash deposit.
- 12. The electronic safe of claim 10 wherein the identifying tag identifies the type of non-cash deposit.
- 13. The electronic safe of claim 1 wherein the non-cash deposit comprises a printed identification slip which identifies a change in a cashier managed event.

14. An electronic safe comprising:

means for accepting and storing deposits;

means for communicating with an identification tag, said identification tag identifying a person interacting with the electronic safe.

- 15. The electronic safe of claim 14 wherein the identification tag identifies the person interacting with electronic safe as someone making a deposit into the safe, withdrawing cash from the safe, or requesting a report to be generated by the safe.
- 16. The electronic safe of claim 14 wherein the identification tag is for wearing around the wrist of the person placing deposits.
- 17. The electronic safe of claim 14 wherein the means for communicating periodically transmits a polling signal to determine the presence of the identification tag.
- 18. The electronic safe of claim 14 wherein the means for communicating includes a transmitter, and power for the identification tag is supplied from the transmitter.
- 19. The electronic safe of claim 14 wherein the identification tag functions as an electronic key.
- 20. The electronic safe of claim 14 wherein the means for communicating utilizes radio frequency (RF) technology to communicate with the identification tag.
 - 21. An electronic safe comprising:

means for accepting and storing deposits; and

means for communicating with a wireless portable device, said wireless portable device for configuring the safe.

- 22. The electronic safe of claim 21 wherein the means for communicating utilizes infrared communication to communicate with the wireless portable device.
- 23. The electronic safe of claim 21 wherein the portable device is for causing the electronic safe to generate reports.
- 24. The electronic safe of claim 21 wherein the portable device is for updating operating code of the electronic safe.
- 25. The electronic safe of claim 24 wherein the portable device is further for initiating the printing of the automatically generated reports.
 - 26. An electronic safe system comprising:

a plurality of electronic safes, and

a wireless network connecting said plurality of safes.

27. The electronic safe system of claim 26 further comprising:

a communications node for providing wireless communications to an off site host system.

- 28. The electronic safe system of claim 27 wherein the off site host system remotely monitors the plurality of electronic safes.
- 29. The electronic safe system of claim 27 wherein the communications node comprises a wireless modem.
- 30. The electronic safe system of claim 26 wherein the wireless network connects the plurality of safes to an external network.
 - 31. An electronic safe comprising:

means for accepting deposits;

a cassette for storing the deposits; and

means for predicting when the cassette will be full of deposits.

32. An electronic safe comprising:

means for accepting deposits;

means for storing deposits; and

means for automatically/generating and storing reports detailing the operation of the electronic safe during a predetermined period.

- 33. The electronic safe of claim 32 further comprising means for printing the stored reports when instructed by an authorized person.
- 34. The electronic safe of claim 32 wherein the reports include the amount of deposits per shift.
- 35. The electronic safe of claim 32 wherein the reports include the amount of deposits per cashier over a predetermined period of time.
 - 36. An electronic safe comprising:

means for/accepting deposits;

means for storing deposits;

a controller for controlling the operation of the safe, said controller for tracking the number of hours worked by an employee.

- 37. The electronic safe of claim 36 wherein the employee provides an indication to the electronic safe when the employee arrives at work and when the employee leaves work.
- 38. The electronic safe of claim 37 wherein the employee provides the indication by entering an identification number on an input device of the electronic safe.
- 39. The electronic safe of claim 36 wherein the controller tracks the number of hours worked by the employee by detecting an identification tag attached to the employee.
- 40. The electronic safe of claim 36 further comprising means for generating periodic reports of the number of hours worked.
- 41. A method of operating an electronic safe for accepting both cash and non-cash deposits, said electronic safe comprising a bill acceptor for accepting both the cash deposits and the non-cash deposits, a controller for controlling the operation of the bill acceptor and receiving an indication of the value of the non-cash deposits, and a cassette for storing both the cash deposits and the non-cash deposits, the method comprising the steps of:

placing a non-cash deposit into an envelope; placing the envelope into the bill acceptor; and storing the envelope in the cassette

42. The method of claim 41 wherein the electronic safe further comprises a data entry apparatus for entering the value of the non-cash deposits, the method further comprising the step of:

transmitting an indication of the value of the non-cash deposits to the controller by the data entry apparatus.

- 43. The method of claim 41 further comprising the step of: transmitting from a point of sale terminal the value of the non-cash deposit.
- 44. The method of claim 41 further comprising the step of: communicating to the electronic safe the type of the non-cash deposit.
- 45. The method of claim 44 further comprising the step of: transmitting from a point of sale terminal the type of the non-cash deposit.
- 46. The method of claim 41 wherein the envelope contains a check.
- 47. The method of claim 41 wherein the envelope contains a currency note which cannot be accepted as a cash deposit.

- 48. The method of claim 41 wherein the envelope identifies the type of non-cash deposit.
- 49. The method of claim 41 wherein the envelope identifies the amount of the non-cash deposit.
- 50. The method of claim 41 further comprising the step of:
 inserting an identifying tag in the bill acceptor, the identifying tag identifying the type of the non-cash deposit.
- 51. The method of claim 50 wherein the identifying tag identifies the value of the non-cash deposit.
- 52. The method of claim 50 wherein the identifying tag identifies the type of non-cash deposit.
- 53. A method of operating an electronic safe, the electronic safe comprising apparatus for accepting and storing deposits, and apparatus for communicating with an identification tag, said identification tag identifying a person interacting with the electronic safe, the method comprising the steps of:

attaching the identification tag to a person;

interacting with the electronic safe by the person;

identifying, by the electronic safe, the identity of the person interacting with the electronic safe by detecting the identification tag; and

recording and storing the identity of the person interacting with the electronic safe.

- 54. The method of claim 53 wherein the identification tag identifies the person interacting with electronic safe as someone making a deposit into the safe, withdrawing cash from the safe, or requesting a report to be generated by the safe.
- 55. The method of claim 53 wherein the identification tag is worn around the wrist of the person interacting with the electronic safe.
 - 56. The method of claim 53 further comprising the step of: transmitting a polling/signal to determine the presence of the identification tag.
- 57. The method of claim 53 wherein the means for communicating includes a radio frequency (RF) transmitter, and power for the identification tag is supplied from the transmitter.

- 58. The method of claim 53 wherein the identification tag functions as an electronic key.
- 59. A method of operating an electronic safe, the electronic safe comprising apparatus for accepting and storing deposits, and apparatus for communicating with a wireless portable device:

transmitting a message from the wireless portable device to the electronic safe; receiving the message by the electronic safe; and perform an action in response to the message by the electronic safe.

- 60. The method of claim 59 further comprising the step of: transmitting configuration information from the wireless portable device to the electronic safe.
- 61. The method of claim 59 wherein the electronic safe utilizes infrared communication to communicate with the wireless portable device.
- 62. The method of claim 59 wherein the transmitted message causes the electronic safe to generate reports.
 - 63. The method of claim 59 further comprising the step of: transmitting updated operating code to the electronic safe by the wireless portable device.
- 64. A method of operating an electronic safe, the electronic safe comprising apparatus for accepting deposits, a cassette for storing the deposits, and a controller for controlling the operation of the electronic safe, the method comprising the steps of:

monitoring the rate of deposits made to the electronic safe; and predicting when the cassette will be full of deposits.

- 65. The method of claim 64 further comprising the step of: communicating a message indicating when the electronic safe will be full.
- 66. A method of operating an electronic safe, the electronic safe comprising apparatus for accepting deposits, a cassette for storing the deposits, and a controller for controlling the operation of the electronic safe, the method comprising the steps of:

monitoring the operation of the electronic safe by the controller; and automatically generating and storing reports detailing the operation of the electronic safe.

67. The method of claim 66 further comprising the step of:

printing the stored reports when instructed by an authorized person.

- 68. The method of claim 67 wherein the reports include the amount of deposits per shift.
- 69. The method of claim 67 wherein the reports include the amount of deposits per cashier over a predetermined period of time.
- 70. A method of tracking employee hours worked by an electronic safe, the electronic safe comprising apparatus for accepting and storing deposits, and a controller for controlling the operation of the safe, the method comprising the steps of:

receiving an indication when an employee begins work; receiving an indication when the employee stops work; and tracking the number of hours worked by an employee.

- 71. The method of claim 70 wherein the employee provides the indication by entering an identification number on an input device of the electronic safe.
- 72. The method of claim 70 wherein the controller tracks the number of hours worked by the employee by detecting an identification tag attached to the employee.
 - 73. The method of claim 70 further comprising the step of: generating periodic reports of the number of hours worked.

ABO ABO